



The  
Future of  
Flooring

SPC FLOORING  
COLLECTION

## LUXINZA: Combining Aesthetics and Durability

Based in Istanbul and export-oriented, LUXINZA specializes in flooring, wall panels, and skirting solutions. As part of Akgün Yapı, founded in 1977, we manufacture with cutting-edge technology at our 22,000 m<sup>2</sup> facility in Hadımköy, while welcoming customers to our 6,000 m<sup>2</sup> showroom in Beylikdüzü.

4

We combine design and durability, offering long-lasting, tailor-made solutions for every space. Our products, trusted in both residential and commercial projects, bring a sleek and functional touch to interiors through advanced manufacturing techniques.

Beyond aesthetics, we focus on user-friendly and sustainable solutions, ensuring environmentally responsible production while preserving natural resources.

With a commitment to quality, reliability, and customer satisfaction, we continue to strengthen our global presence, setting new standards in the industry by merging aesthetics and durability.





7 reasons to start your journey  
with LUXINZA and make our  
passion yours;  
**‘improve your quality of live’**

5


#### **Our floors:**

- ✓ Resistant to all challenges of daily live
- ✓ Resistant to deformation in all circumstances
- ✓ Water and fireproof
- ✓ UV resistant
- ✓ Easy to install on any surface without additional costs
- ✓ Suitable for heating and cooling systems
- ✓ Eco-friendly
- ✓ 100 % recyclable





# Inseparable combination







**100% Waterproof**



**Extremely Stable**



**NO Acclimatisation Necessary**



**Easy Installation**



**Installation on any Surface**



**Reduces Noise**



**Wear Resistant**



**Pet Friendly**



**Electrostatic Performance**



**Ideal for Underfloor Heating & Cooling**

# Discover the Elegance of, Harmony with LUXINZA

The perfect harmony of colors in nature inspires your living spaces, bringing them to life. Feel the warmth and elegance of nature in every corner of your home with LUXINZA.


Luxinza flooring creates the perfect synergy between the natural beauty outside and your unique interior style. With a wide range of captivating colors and textures, it fits perfectly with any design, whether modern or classic. Whatever your style, Luxinza lets your living spaces reflect your true character.

Let your floors speak your character with LUXINZA.






# Colors from mother nature




# LUXINZA FLOORS




**ROBUSTO**  
COLLECTION



10




**AVANTO**  
COLLECTION



**VIVATO**  
COLLECTION




# COLLECTIONS



**PRIMERO**  
COLLECTION



**SUPREME**  
COLLECTION





**ELEGANTE**  
COLLECTION

# Click System

LUXINZA products utilize Unilin locking systems, UniClik and UniDrop, which are groundbreaking, unique locking systems for SPC flooring. Thanks to their easy installation features, they enable everyone to change their flooring quickly and effortlessly.

UniClik requires no additional tools or professional assistance during the assembly of its parts. It offers a fast and reliable way to install the floor.


UniDrop, on the other hand, is a one-piece, downward-folding technology that provides superior locking performance without the need for plastic parts and ensures easy installation for the short edges of the panel. This glueless locking profile is an enhanced version of the Unipush technology.





# DIVERSE & DURABLE

13



UNICLIC



UNIDROP

# COLLECTION SIZE

14



ROBUSTO		AVANTO		VIVATO	
6.5 mm		6 mm		5 mm	
0.5 mm		0.5 mm		0.5 mm	
Plank	Herringbone	Plank	Herringbone	Plank	Herringbone
7 pcs 1.947 m <sup>2</sup> 19.82 kg	14 pcs 1.575 m <sup>2</sup> 16.00 kg	7 pcs 1.947 m <sup>2</sup> 19.82 kg	14 pcs 1.575 m <sup>2</sup> 16.00 kg	9 pcs 2.503 m <sup>2</sup> 20.38 kg	16 pcs 1.464 m <sup>2</sup> 11.91 kg





PRIMERO		SUPREME		ELEGANTE	
5 mm		5 mm		3 mm	
0.3 mm		0.3 mm		0.15 mm	
Plank	Herringbone	Stone	Stone XL	Long	
9 pcs	16 pcs	9 pcs	6 pcs	1 pcs	
2.503 m <sup>2</sup>	1.800 m <sup>2</sup>	1.674 m <sup>2</sup>	2.233 m <sup>2</sup>	2.702 m <sup>2</sup>	
20.38 kg	14.65 kg	13.70 kg	18.26 kg	22.02 kg	

---


# ROBUSTO

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)

Exuding the Elegance of Real Wood

# ROBUSTO



Home is a reflection of our freedom and identity. It's a place where we can comfortably walk barefoot after a long day. It's where our children grow up, sharing sweet moments together. Our cat accompanies us every step of the way, leaving behind joyful memories.

Your home expresses who you truly are. It's strong and resilient—just like ROBUSTO Collection. This collection is crafted to withstand daily challenges while offering the timeless beauty of real wood. With its reinforced durability and advanced 3D texture, it provides a natural yet incredibly tough surface that endures the test of time.

We've designed it for real homes and real people. Personalize your space with ROBUSTO Collection and enjoy the perfect balance of strength and style. Experience every moment in your home with unmatched resilience and aesthetic excellence. Step into durability, step into ROBUSTO.





Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance



High Density Underlay




Suitable for Underfloor Heating

Crafting  
Perfection at  
Every Step,  
Just for You.



Wear Layer	0,5 mm
Underlay	1,5 mm
Surface	Eir
Total Thickness	6,5 mm
Edge	Micro Bevel



ULTRA MATT  
UV Coating Layer

Wear Layer

Decor Film Layer

SPC Rigid Core

High Destiny  
Underlayment

228mm  
1220 mm



150 mm

750 mm



## 40501 CHARCOAL



RO-40501-PL | PLANK  
228 X 1220 X 5 mm



RO-40501-HB | HERRINGBONE  
150 X 750 X 5 mm





## 40502 **GOLDEN**



**RO-40502-PL | PLANK**  
228 X 1220 X 5 mm



**RO-40502-HB | HERRINGBONE**  
150 X 750 X 5 mm



## 40503 HONEY



RO-40503-PL | PLANK  
228 X 1220 X 5 mm



RO-40503-HB | HERRINGBONE  
150 X 750 X 5 mm





## 40504 **AMBER**




RO-40504-PL | PLANK  
228 X 1220 X 5 mm



RO-40504-HB | HERRINGBONE  
150 X 750 X 5 mm

AMBER 40504



22

ROBUSTO COLLECTION



## 40505 CHESTNUT



RO-40505-PL | PLANK  
228 X 1220 X 5 mm



RO-40505-HB | HERRINGBONE  
150 X 750 X 5 mm







TAWYN 40506

24

ROBUSTO COLLECTION



## 40506 TAWYN



RO-40506-PL | PLANK  
228 X 1220 X 5 mm



RO-40506-HB | HERRINGBONE  
150 X 750 X 5 mm

40507 **MOCHA**

RO-40507-PL | PLANK  
228 X 1220 X 5 mm



RO-40507-HB | HERRINGBONE  
150 X 750 X 5 mm





## 40508 AUTUMN



RO-40508-PL | PLANK  
228 X 1220 X 5 mm



RO-40508-HB | HERRINGBONE  
150 X 750 X 5 mm







## 40509 **SUNRISE**



**RO-40509-PL | PLANK**  
228 X 1220 X 6 mm



**RO-40509-HB | HERRINGBONE**  
150 X 750 X 6 mm





## 40510 GALLERIA



RO-40510-PL | PLANK  
228 X 1220 X 6 mm



RO-40510-HB | HERRINGBONE  
150 X 750 X 6 mm

# ROBUSTO



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com

The Future of Flooring

[www.luxinza.com](http://www.luxinza.com)

---

# AVANTO

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)



# AVANTO



## Elevate Your Home Experience

AVANTO transforms your home with SPC Flooring solutions that seamlessly blend durability and elegance. Specifically designed for modern living, families, and active lifestyles, these floors combine aesthetics with long-lasting strength.

AVANTO SPC Flooring not only enhances the beauty of your home but also prioritizes your family's well-being. With its hygienic and easy-to-clean surfaces, it creates a more comfortable and healthy living space.

Our commitment to quality ensures that every AVANTO panel is meticulously crafted, guaranteeing years of durability. When you upgrade your home with AVANTO SPC Flooring, you'll experience a perfect balance of sophistication and resilience underfoot. These floors do more than just transform your space—they elevate the way you live.

Upgrade your flooring with AVANTO SPC Flooring and enjoy lasting quality, modern aesthetics, and everyday comfort.



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance




High Density Underlay



Suitable for Underfloor Heating

Wear Layer	0,5 mm
Underlay	1 mm
Surface	Eir
Total Thickness	6 mm
Edge	Micro Bevel



ULTRA MATT  
UV Coating Layer

Wear Layer

Decor Film Layer

SPC Rigid Core

High Density  
Underlayment

# Durability & Luxury Beyond Imagination



228mm  
1220 mm



150 mm

750 mm





## 30301 RIVERBEND



AV-30301-PL | PLANK  
228 X 1220 X 6 mm



AV-30301-HB | HERRINGBONE  
150 X 750 X 6 mm





## 30302 HIGHLAND



AV-30302-PL | PLANK  
228 X 1220 X 6 mm



AV-30302-HB | HERRINGBONE  
150 X 750 X 6 mm

# 30303 URBAN



AV-30303-PL | PLANK  
228 X 1220 X 6 mm



AV-30303-HB | HERRINGBONE  
150 X 750 X 6 mm





## 30304 **NORDIC**



AV-30304-PL | PLANK  
228 X 1220 X 6 mm



AV-30304-HB | HERRINGBONE  
150 X 750 X 6 mm







## 30305 ARTISAN



AV-30305-PLI PLANK  
228 X 1220 X 6 mm



AV-30305-HB | HERRINGBONE  
150 X 750 X 6 mm





## 30306 SLATE



AV-30306-PL | PLANK  
228 X 1220 X 6 mm



AV-30306-HB | HERRINGBONE  
150 X 750 X 6 mm

# 30307 GRAPHITE



AV-30307-PL | PLANK  
228 X 1220 X 6 mm



AV-30307-HB | HERRINGBONE  
150 X 750 X 6 mm







## 30308 PLATINIUM



AV-30308-PL | PLANK  
228 X 1220 X 6 mm



AV-30308-HB | HERRINGBONE  
150 X 750 X 6 mm

PLATINIUM 30308



39

AVANTO COLLECTION



## 30309 **STERLING**



**AV-30309-PL | PLANK**  
228 X 1220 X 6 mm



**AV-30309-HB | HERRINGBONE**  
150 X 750 X 6 mm





LUXE 30310

41

AVANTO COLLECTION



## 30310 LUXE



AV-30310-PL | PLANK  
228 X 1220 X 6 mm



AV-30310-HB | HERRINGBONE  
150 X 750 X 6 mm



# AVANTO



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com

The Future of Flooring

[www.luxinza.com](http://www.luxinza.com)

---

# VIVATO

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)

# VIVATO



The VIVATO Collection embodies a perfect fusion of durability, sophistication, and modern aesthetics. Designed to enhance any space, it combines timeless beauty with superior performance, making every step a statement of elegance.

Renowned for its robust structure, the VIVATO Collection stands strong against heavy usage and effortlessly endures the challenges of everyday life.

With its diverse color palette and refined textures, the VIVATO Collection offers a range of options to match different tastes and styles. Every panel reflects a seamless blend of quality and aesthetics, ensuring a flooring solution that is both visually stunning and built to last.

We take pride in offering a personalized flooring experience, allowing you to transform your space with precision craftsmanship and timeless beauty. Choose the VIVATO Collection to elevate your interiors with unparalleled elegance and durability. Step into a world of refined living with VIVATO.





Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance



High Density Underlay




Suitable for Underfloor Heating

# Experience Better Flooring



Wear Layer	0,5 mm
Underlay	1 mm
Surface	Eir
Total Thickness	5 mm
Edge	Micro Bevel



ULTRA MATT  
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny  
Underlayment

228mm  
1220 mm



150 mm  
750 mm



## 20101 FOREST



VI-20101-PL | PLANK  
228 X 1220 X 5 mm



VI-20101-HB | HERRINGBONE  
150 X 610 X 5 mm







## 20102 **ALPINE**



**VI-20102-PL | PLANK**  
228 X 1220 X 5 mm



**VI-20102-HB | HERRINGBONE**  
150 X 610 X 5 mm



20103 **WOODLAND**

VI-20103-PL | PLANK  
228 X 1220 X 5 mm



VI-20103-HB | HERRINGBONE  
150 X 610 X 5 mm





## 20104 **CANYON**



**VI-20104-PL | PLANK**  
228 X 1220 X 5 mm



**VI-20104-HB | HERRINGBONE**  
150 X 610 X 5 mm





## 20105 PRAIRE



VI-20105-PL | PLANK  
228 X 1220 X 5 mm



VI-20105-HB | HERRINGBONE  
150 X 610 X 5 mm







## 20106 SANNAH



VI-20106-PL | PLANK  
228 X 1220 X 5 mm



VI-20106-HB | HERRINGBONE  
150 X 610 X 5 mm

# 107 SEQUOIA



VI-20107-PL | PLANK  
228 X 1220 X 5 mm



VI-107-HB | HERRINGBONE  
150 X 610 X 5 mm





## 20108 **DRIFTWOOD**



VI-20108-PL | PLANK  
228 X 1220 X 5 mm



VI-20108-HB | HERRINGBONE  
150 X 610 X 5 mm





# VIVATO



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com

The Future of Flooring

[www.luxinza.com](http://www.luxinza.com)

---

# PRIMERO

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)

## AESTHETIC INSPIRED BY NATURE

With the PRIMERO COLLECTION, our SPC Flooring brings a touch of natural elegance to modern living spaces, combining the warmth of wood with exceptional durability. Its high-quality finish and ultra-matte surface create a perfect balance between visual appeal and long-lasting strength.

Designed to mimic the authentic texture of natural wood, the PRIMERO COLLECTION evokes a sense of warmth and comfort in any space. The ultra-matte surface minimizes glare and ensures effortless maintenance, offering superior resistance to stains and scratches.

PRIMERO SPC FLOORING is engineered for easy installation and long-term durability, ensuring beauty and performance for years to come. It is also environmentally friendly, using sustainable materials that promote health and well-being.

Transform your living spaces with the PRIMERO COLLECTION—a perfect choice for both residential and commercial interiors. Seamlessly blending the beauty of nature with modern design, PRIMERO SPC FLOORING is the ideal solution for those seeking quality, aesthetics, and durability.



# PRIMERO





Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance



High Density Underlay




Suitable for Underfloor Heating

Rediscover  
Your Floors



228mm  
1220 mm

Wear Layer	0,3 mm
Underlay	1 mm
Surface	Wood
Total Thickness	5 mm
Edge	Micro Bevel



ULTRA MATT  
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny  
Underlayment



150 mm

750 mm

10201 **ROYAL**

PR -10201-PL| PLANK  
228 X 1220 X 5 mm



PR -10201-HB| HERRINGBON E  
150 X 750 X 5 mm





## 10202 **NOBLE**



PR - 10202-PL | PLANK  
228 X 1220 X 5 mm



PR - 10202-HB | HERRINGBONE  
150 X 750 X 5 mm







## 10203 MAJESTIC



PR - 10203-PL | PLANK  
228 X 1220 X 5 mm



PR - 10203-HB | HERRINGBONE  
150 X 750 X 5 mm





VINTAGE 10204

60

PRIMERO COLLECTION



## 10204 VINTAGE



PR-10202-PL | PLANK  
228 X 1220 X 5 mm



PR-10202-HB | HERRINGBONE  
150 X 750 X 5 mm

# 10205 REGENCY



PR-10205-PL | PLANK  
228 X 1220 X 5 mm



PR-10205-HB | HERRINGBONE  
150 X 750 X 5 mm







## 10206 ESTATE



PR-10206-PL | PLANK  
228 X 1220 X 5 mm



PR-10206-HB | HERRINGBONE  
150 X 750 X 5 mm





## 10207 MANOR



PR-10207-PL | PLANK  
228 X 1220 X 5 mm



PR-10207-HB | HERRINGBONE  
150 X 750 X 5 mm





## 10208 GERITAGE



PR-10208-PL | PLANK  
228 X 1220 X 5 mm



PR-10208-HB | HERRINGBONE  
150 X 750 X 5 mm



209 **LEGACY**

PR-10209-PL | PLANK  
228 X 1220 X 5 mm



PR-10209-HB | HERRINGBONE  
150 X 750 X 5 mm





## 10210 IMPERIAL



PR-10210-PL | PLANK  
228 X 1220 X 5 mm



PR-10210-HB | HERRINGBONE  
150 X 750 X 5 mm



# PRIMERO



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)




---

# SUPREME

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)

A full-page background image of a rugged, rocky mountain peak under a dark, overcast sky. In the foreground, a small, white cabin with a dark roof and red window shutters sits on a grassy slope. A Swiss flag is visible on a pole to the right of the cabin. The image is split diagonally from the bottom left corner, with the white background of the text area covering the lower-left portion.

## The Elegance of Supreme, teh Beauty of Your Home.

SUPREME SPC Flooring offers families the perfect choice to step into a peaceful and refined home life. These durable floor coverings seamlessly combine quality and style, enhancing every area of your home.

With its stone-inspired texture, the SUPREME Collection delivers natural beauty and timeless elegance, while ensuring long-lasting durability and resilience. Designed for those who seek superior craftsmanship, SUPREME SPC Flooring embodies peace, strength, and quality in every step.

Trust SUPREME SPC Flooring to elevate your space with unparalleled sophistication and lasting performance.



# Reimagine Your Home With Nature's Charm



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance




High Density Underlay



Suitable for Underfloor Heating

Wear Layer	0,5 mm
Underlay	1 mm
Surface	Eir
Total Thickness	5 mm
Edge	Micro Bevel





# 50801 **BETON LIGHT**



TS-50801  
228 X 1220 X 5 mm





## 50802 **BETON SAND**



TS-50802  
228 X 1220 X 5 mm

BETON SAND 50802



71

SUPREME COLLECTION



## 50803 **BETON GREY**



TS-50803  
228 X 1220 X 5 mm







BETON DARK 50804

73

SUPREME COLLECTION



## 50804 **BETON DARK**



TS-50804  
228 X 1220 X 5 mm

# 50805 WHITE MARBLE



TS-50805  
228 X 1220 X 5 mm





## 50806 **BEIGE MARBLE**



TS-50206  
228 X 1220 X 5 mm

BEIGE MARBLE 50806



75

SUPREME COLLECTION





## 50807 GREY MARBLE



TS-50807  
228 X 1220 X 5 mm





BLACK MARBLE 50808



77

SUPREME COLLECTION



## 50808 **BLACK MARBLE**



TS-50808  
228 X 1220 X 5 mm

# SUPREME



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)



---

# ELEGANTE

---

The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)



Elegance Meets Walls.

# ELEGANTE

LUXINZA's unique Wall Panel collection seamlessly combines aesthetics and durability. Specifically designed for kitchens, bathrooms, and every living space, our ultra-matte panels add warmth and elegance with wood and stone pattern options.

These customizable and diverse panels allow you to freely express your design preferences. Let your walls not only define boundaries but also redefine the spirit of your space.

Allow your walls to become a work of art with LUXINZA.

# COLLECTION OVERVIEW



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface




Moisture Resistance



High Density Underlay



Suitable for Underfloor Heating



2800 mm

965 mm

## ELEGANTE

Wear Layer 0,15 mm

Surface Stone

Total Thickness 3 mm


Edge Micro Bevel

ULTRA MATT  
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core





We drew inspiration from nature  
for our wall panels, combining  
durability and elegance.

**ELEGANTE**  
New Generation Flooring

WEARLAYER

0,15 mm

UNDERLAY(IXPE)

No

TOTAL THICKNESS

3 mm

DECOR

DIMENSIONS

EDGE

SURFACE

CLICK



LONG

965 X 2800

MICRO BEVEL


STONE

Piece

Palette (m<sup>2</sup>)

Container(20')

Warranty(Year)



1  
Pieces



60  
Package



20  
Palette

= 2.702 m<sup>2</sup>

= 22,02 kg

= 162.120 m<sup>2</sup>

= 1.340,96 kg

= 3.242,40 m<sup>2</sup>

= 26.819,2 kg

15

PALERMO DP-60801

PALERMO DP-60802


PALERMO DP-60803

PALERMO DP-60804

100% WATERPROOF SPC FLOORING



3  
mm



100% WATERPROOF SPC FLOORING

**3**  
mm



# ELEGANTE



**Address:** Cumhuriyet Mahallesi, Firuze Sokak, E-5 Karayolu Üzeri,  
İstanbul Outlet Park AVM, Beylikdüzü, İSTANBUL / TÜRKİYE  
**Phone:** +90 (212) 741 51 61 **E-mail:** info@luxinza.com


The Future of Flooring  
[www.luxinza.com](http://www.luxinza.com)

# LUXINZA INSTALLATION INSTRUCTIONS

## How to Install SPC Wall Panel ?

SPC wall panels are available in many different sizes & designs & colors, all SPC wall panels have locking system, which is much simpler and more convenient for installation. No need to pay for workers to install it, you can D.I.Y at home.


Follow the steps below to complete the installation easily:




1. Wall panels must be placed horizontally in the room;
2. Clean the wall surface;
3. Apply a glue line over the tile. Leave at least 2cm gap to the edges;
4. Starting from a corner, installing from the floor to the ceiling;
5. Using a spirit level to check is correctly aligned;
6. Pressing firmly against the glue over the length of the tile;
7. Place the following tile by connecting with the first one;
8. Repeat with the next tiles;
9. Measure the cut on the corner;
10. Cut the excess of the tile;
11. Collocate the cut tile;
12. Using a strim to fill in the gap left at the base with waterproof silicone sealant;
13. Finish the installation, well done !

## Plank Series variations

RANDOM




BRICK




## Herringbone Series variations


SINGLE




CORNER




DOUBLE




TRIPLE



SQUARE



MOSAIC











# ROBUSTO







## COLLECTION

### TECHNICAL SPECIFICATIONS

#### PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			228 X 1220	0,5	YES	6,5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		7 X  =1.947 m <sup>2</sup> =19.82 Kg	44 X  =85.673 m <sup>2</sup> =892.13 Kg	30 X  =2.570.20 m <sup>2</sup> =26.763.98 Kg	20

#### HERRINGBONE







FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			150 X 750	0,5	YES	6,5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		14 X  =1.575 m <sup>2</sup> =16.00 Kg	56 X  =88.200 m <sup>2</sup> =916.00 Kg	30 X  =2.646.00 m <sup>2</sup> =27.480.00 Kg	20

# AVANTO







## COLLECTION

### TECHNICAL SPECIFICATIONS

#### PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			228 X 1220	0,5	YES	6
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		7 X  =1.947 m <sup>2</sup> =19.82 Kg	44 X  =85.673 m <sup>2</sup> =892.13 Kg	30 X  =2.570.20 m <sup>2</sup> =26.763.98 Kg	20

#### HERRINGBONE







FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			228 X 1220	0,5	YES	6
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		14 X  =1.575 m <sup>2</sup> =16.00 Kg	56 X  =88.200 m <sup>2</sup> =916.00 Kg	30 X  =2.646.00 m <sup>2</sup> =27.480.00 Kg	20

# VIVATO







## COLLECTION

### TECHNICAL SPECIFICATIONS

#### PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			228 X 1220	0,5	YES	5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER	 PATENTED TECHNOLOGY	9 X  =2.503 m <sup>2</sup> =20.38 Kg	44 X  =110.151 m <sup>2</sup> =916.61 Kg	30 X  =3.304.54 m <sup>2</sup> =27.498.33 Kg	20

#### HERRINGBONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			150 X 610	0,5	YES	5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER	 PATENTED TECHNOLOGY	16 X  =1.464 m <sup>2</sup> =11.91 Kg	72 X  =105.408 m <sup>2</sup> =877.66 Kg	30 X  =3.162.24 m <sup>2</sup> =26.329.92 Kg	20








# PRIMERO






## COLLECTION

### TECHNICAL SPECIFICATIONS

#### PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
PRIMERO <small>First Class Natural Flooring</small> <small>www.bambusa.com</small>			228 X 1220	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		9 X  =2.503 m <sup>2</sup> =20.38 Kg	44 X  =110.151 m <sup>2</sup> =916.61 Kg	30 X  =3.304.54 m <sup>2</sup> =27.498.33 Kg	15

#### HERRINGBONE







FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
PRIMERO <small>First Class Natural Flooring</small> <small>www.bambusa.com</small>			150 X 750	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		16 X  =1.800 m <sup>2</sup> =14.65 Kg	56 X  =100.800 m <sup>2</sup> =840.40 Kg	30 X  =3.024.00 m <sup>2</sup> =26.329.92 Kg	15

# SUPREME







## COLLECTION

### TECHNICAL SPECIFICATIONS

#### STONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			305X610	0,3	YES	5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		9 X  =1.947 m <sup>2</sup> =19.82 Kg	66 X  =110.514 m <sup>2</sup> =923.91 Kg	30 X  =3.315.41 m <sup>2</sup> =27.717.29 Kg	15

#### STONE XL








FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 EDGE			305 X 1220	0,3	YES	5
	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		6 X  =2.233 m <sup>2</sup> =18.26 Kg	48 X  =107.165 m <sup>2</sup> =896.52 Kg	30 X  =3.214.94 m <sup>2</sup> =27.717.29 Kg	15

# ELEGANTE


## COLLECTION

### TECHNICAL SPECIFICATIONS

#### LONG

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 <small>NO CARBONATED FLOORING</small> <small>WOOD LAMINATE</small>			965 X 2800	0,15	NO	3
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m <sup>2</sup> )	PALETTE (m <sup>2</sup> )	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER	 <small>PATENTED TECHNOLOGY</small>	1 X  =2.702 m <sup>2</sup> =22.02 Kg	60 X  =162.120 m <sup>2</sup> =1.340.96 Kg	20 X   =3.242.40 m <sup>2</sup> =26.819.2 Kg	15





LUXINZA

